

Connectors

TECHNICAL SPECIFICATIONS: (201.516, 201.523 and 201.517)

75 Ohm BNC Male to Male connection.

Coaxial cable: 75 Ohm RG 59, halogen free

Diameter: 6.3 mm

Frequency range: 0 (DC) - 2 GHz

Contact pins: Gold plated

Return loss: 22 dB at 1 GHz

Screening: CE: EN 50081-1, EN 50082-1, DIN V VDE 0855 part 10

Total length: 145 mm

Order No. 201.516




Total length: 259 mm

Order No. 201.523




Total length: 370 mm

Order No. 201.517




75 Ohm Male crimp for
RG6 coaxial cable
Order No. 201.520



75 Ohm Angle adapter
BNC male-BNC female
Order No. 201.518



75 Ohm Male crimp for
RG11 coaxial cable
Order No. 201.521



75 Ohm Angle twist for
RG6 coaxial cable
Order No. 201.527



0802

Since 1971, the objective of Naval Electronics has been to offer the best possible products for TV and Radio reception at sea. Naval began with omnidirectional antennas and is the world leader in this field of technology today. Now, with an expanded product range, the name Naval means much more than antennas. Naval operates in more than 40 countries and has installations on thousands of vessels all over the world.

All specifications stated are subject to change without notice.



Naval Electronics AB

Höjdrodergatan 18, SE-212 39 Malmö, Sweden

Tel. +46(0)40-29 20 45. Fax +46(0)40-18 74 13

E-mail: sales@naval.se

www.naval.se



SS-EN ISO 9001

6119